

SUBJECT INDEX

| | | | |
|---|--------------------|--|---------|
| 1,8-diaminonaphthalene..... | 218 | chemical status..... | 243 |
| ¹³ C and ³¹ P-NMR spectroscopy..... | 615 | chemometrics..... | 417 |
| 4-amino-N-pyrimidin-2-ylbenzenesulfonamide..... | 33 | cherry laurel puree..... | 467 |
| 4-hydroxy-6-methyl-2H-pyran-2-one..... | 194 | chickpea beans..... | 459 |
| acid red 283..... | 27 | chlorophenol wastewater treatment..... | 638 |
| additives..... | 82 | cholinesterase inhibitor..... | 452 |
| adsorption isotherms..... | 592 | chromium (VI)..... | 417 |
| adsorption..... | 74,141,151,602,608 | chronoamperometric measurements..... | 198 |
| aerosols..... | 89 | citrinin..... | 383 |
| air pollution..... | 94 | <i>Clostridium</i> | 459 |
| alcohol-insoluble solids..... | 530 | cloud point extraction..... | 306 |
| alkaline solution..... | 171 | Co(II)..... | 433 |
| alumina..... | 437 | Co(salen)..... | 615 |
| Alzheimer's disease..... | 452 | coal dust..... | 171 |
| amino acids..... | 351 | cobalt..... | 437 |
| AMP-activated protein kinase..... | 111 | coffee grounds..... | 74 |
| anodic polarization..... | 641 | cold atmospheric pressure plasma..... | 383 |
| anthocyanins..... | 393,502 | contact angle..... | 171 |
| antioxidant activity..... | 553 | contamination..... | 161 |
| antioxidant enzymes..... | 374 | copper ions removal..... | 274 |
| antioxidant..... | 368,502,545 | copper..... | 74,334 |
| antiurease activities..... | 37 | co-precipitation..... | 423 |
| aqueous medium..... | 274 | corn cob..... | 7 |
| aqueous/methanol extracts..... | 553 | cornelian cherry stones..... | 592 |
| <i>Arisaema flavum</i> | 368 | correlation analysis..... | 243 |
| aromatic aldehydes..... | 189,194 | Cr (VI)..... | 7 |
| arsenic removal..... | 151 | crystal structure..... | 324 |
| artificial fog..... | 89,94 | Cu ₂ ZnSnS ₄ (CZTS) thin film..... | 324 |
| aspen HYSYS 8.8..... | 254 | cyclic voltammetry..... | 198,398 |
| atomic force microscopy..... | 223 | data envelopment analysis..... | 124 |
| azocasein..... | 223 | desorption..... | 141 |
| band gap..... | 324 | detoxification..... | 383 |
| barbiturates..... | 44 | DFT (density functional theory) method..... | 398 |
| benzimidazole..... | 100 | dielectric properties..... | 484 |
| benzylidenemalononitrile..... | 568 | diisopropyl ether..... | 82 |
| Bi ₄ Ti ₃ O ₁₂ | 429 | dimedone..... | 189 |
| biomimetic catalysis..... | 615 | docking studies..... | 37 |
| biosensor..... | 16 | DPPH..... | 351 |
| biosorption..... | 7 | DRI plant..... | 286 |
| bisbenzimidazole..... | 294 | droplet size distribution..... | 89,94 |
| blackberry..... | 393 | drugs..... | 265 |
| boric acid..... | 281 | <i>Dryopteris ramose</i> | 368 |
| boron..... | 145 | DSMC..... | 298 |
| bulky substituent..... | 294 | ecological status..... | 243 |
| butyric acid..... | 459 | edge harmonic index..... | 478 |
| carbon dioxide separation..... | 584 | effective moisture diffusivity..... | 467 |
| carbon nanocones..... | 478 | electrochemical characterization..... | 50 |
| carbon paste..... | 16 | electrochromic device..... | 329 |
| catalyst-free conditions..... | 218 | electrodeposition..... | 334,560 |
| catalysts..... | 82,437 | electrostatic field protection..... | 641 |
| cathodic polarization..... | 641 | eliminating pollutants..... | 638 |
| ceftriaxone..... | 398 | emeraldine..... | 274 |
| cerium(III)..... | 208 | empirical correlation..... | 631 |
| characterization..... | 429,530 | energy consumption..... | 467 |
| chard..... | 119 | enhanced polymeric blend membrane..... | 584 |
| chemical analysis..... | 204 | enzyme assay..... | 223 |
| chemical characterization..... | 151 | estuary region of Yangtze River..... | 141 |
| chemical profile..... | 538 | ethylcellulose..... | 405 |

| | | | |
|---|---------|---|---------|
| evaluating efficiency..... | 124 | iron-sulfur compounds..... | 133 |
| extended-release..... | 405 | isonicotinic acid..... | 452 |
| Fe ₃ O ₄ /TiO ₂ composite..... | 494 | isotherm..... | 602 |
| fermentation..... | 459 | Khuzestan steel company..... | 124 |
| Fe-TiO ₂ /AC..... | 151 | kinetics..... | 602 |
| flame atomic absorption spectrometry..... | 306 | Knudsen force..... | 298 |
| flavonoid..... | 374 | Langmuir isotherm..... | 7,74 |
| flavonoids..... | 69 | Langmuir-Hinshelwood, batch photoreactor..... | 27 |
| flavonols..... | 69 | lead..... | 74 |
| flexible wearable antenna..... | 484 | LiAlO ₂ | 329 |
| fluconazole..... | 517 | ligand..... | 608 |
| flue-cured tobaccos..... | 315 | linear sweep voltammetry..... | 198 |
| fluoride..... | 250 | LiOH activations..... | 592 |
| free convection..... | 621 | lipid oxidation..... | 545 |
| freeze drying..... | 467 | liquefied natural gas..... | 228 |
| Freundlich isotherm..... | 7,74 | low-frequency magnetic field..... | 393 |
| Freundlich model..... | 141 | low-temperature impact toughness..... | 145 |
| frozen storage..... | 545 | lung..... | 119 |
| fruits..... | 69 | LXR agonist..... | 111 |
| galanthamine..... | 452 | M(II) d-metals..... | 237 |
| gas chromatography..... | 250 | magnetic properties..... | 484 |
| gas chromatography-mass spectrometry (GC-MS)..... | 204,363 | magnetron sputtering..... | 324,329 |
| gas sensor..... | 298 | maleic acid..... | 198 |
| gasoline..... | 82 | Mannich base..... | 37 |
| glycoprotein..... | 119 | matrix pellets..... | 405 |
| gold complex..... | 50 | mechanical properties..... | 524 |
| gold nanoparticles..... | 223 | membrane permeability..... | 63 |
| gold..... | 437 | MEMS..... | 298 |
| graph theory generalized formula..... | 478 | mercaptotriazole..... | 50 |
| green chemistry..... | 100,189 | metal blocks..... | 82 |
| green synthesis..... | 218 | metal complex..... | 37 |
| growth..... | 315 | metal phthalocyanines..... | 294 |
| GSR (gunshot residue)..... | 204 | metal-organic framework..... | 433,608 |
| hazard index..... | 538 | methane..... | 437,584 |
| H-beam..... | 145 | microstructure..... | 171 |
| headspace (HS)..... | 250 | milli- and micro-interactions..... | 237 |
| heat absorption..... | 621 | minced fish..... | 545 |
| heated..... | 228 | mineralization..... | 27 |
| heavy metals..... | 74 | miR-33..... | 111 |
| HLA/GO..... | 265 | model predictive control..... | 286 |
| HLA/XS..... | 265 | molar refractivity..... | 44 |
| HSQC..... | 615 | monoclinic structure..... | 33 |
| hybrid fillers..... | 484 | monoethanolamine..... | 575 |
| hydrazone..... | 218 | <i>Morchella esculenta</i> | 538 |
| hydrogenation..... | 82 | morphology..... | 575 |
| hydrogeochemistry..... | 161 | mouthwash products..... | 250 |
| hydrolyzed lignocellulosic materials..... | 411 | multicomponent <i>p</i> -toluene sulfonic acid reactions..... | 194 |
| hydrothermal..... | 58,429 | multiple linear regressions (MLR)..... | 44 |
| hyperglycemic..... | 119 | multiwalled carbon nanotubes..... | 592,602 |
| Ibar River..... | 243 | mycotoxin..... | 383 |
| ilmenite..... | 494 | <i>n</i> -hexadecanoic acid and volatile compounds..... | 363 |
| imidazoline..... | 100 | nanocatalyst..... | 100 |
| imidazopyridine..... | 568 | nanoclay..... | 423 |
| iminodihydropyridine..... | 568 | nanocomposites..... | 423 |
| impinging air jet..... | 631 | nanofluid..... | 621 |
| <i>in situ</i> polymerization..... | 274 | nanometer size..... | 58 |
| indulin lignin..... | 615 | nanorods..... | 351 |
| industrial wastewater..... | 21 | nanoscale diclofenac..... | 208 |
| IR..... | 208 | nano-SSA..... | 517 |
| iron oxides..... | 133 | nano-twin..... | 334 |

| | | | |
|---|------------|--------------------------------------|-------|
| NAP CLS..... | 265 | rat..... | 119 |
| NAS..... | 265 | redox..... | 151 |
| natural rubber based composites..... | 484 | reducible soil fraction..... | 417 |
| neural network..... | 286 | reformer..... | 286 |
| nickel..... | 145 | rejection percentage..... | 21 |
| nicotinic acid..... | 452 | reusable catalyst..... | 100 |
| niobium..... | 145 | reverse osmosis..... | 21 |
| NiO _x | 329 | reverse permeation..... | 171 |
| nitrate nitrogen..... | 161 | rose hip..... | 530 |
| non-cyanide gold electrolyte..... | 50 | round nozzle..... | 631 |
| ochratoxin A..... | 383 | saline soil..... | 141 |
| octanol/water partition coefficient..... | 44 | salinity..... | 374 |
| organic Rankine cycle (ORC)..... | 254 | selectivity..... | 584 |
| organic synthesis..... | 445 | selenium..... | 351 |
| organic-inorganic hydrogels..... | 281 | SEM..... | 351 |
| ortho-toluidine..... | 21 | semipermeable membrane..... | 63 |
| oscillations..... | 560 | Shahid Tondgooyan..... | 638 |
| osmotic kinetics..... | 63 | silver nanoparticles..... | 306 |
| oxazoline..... | 100 | single crystal XRD..... | 33 |
| oxidation..... | 133,437 | soils..... | 417 |
| oxide modifying phase..... | 484 | solar-thermal energy..... | 254 |
| paracetamol..... | 208 | sol-gel..... | 429 |
| penicillium..... | 383 | solvothermal..... | 608 |
| perimidine..... | 218 | spectral analysis..... | 575 |
| permeance..... | 584 | spectral overlap..... | 265 |
| permeate flux..... | 21 | spectroscopy..... | 237 |
| phases..... | 423 | spraying techniques..... | 89,94 |
| phenol..... | 16,374,502 | sputtering pressure..... | 324 |
| phenolics..... | 393 | stability..... | 50 |
| phenylalanine..... | 398 | stagnation Nusselt number..... | 631 |
| photocatalysis..... | 494 | strawberries..... | 502 |
| photocatalyst..... | 58 | stress..... | 334 |
| physiological characteristics..... | 315 | structure..... | 524 |
| piperazine derivatives..... | 445 | succinic acid..... | 198 |
| plant cell walls..... | 530 | sulfidation..... | 133 |
| polarizability..... | 44 | Sunset yellow..... | 592 |
| polarization potential..... | 641 | supercapacitive properties..... | 433 |
| poliglecaprone..... | 524 | surface area..... | 608 |
| poly(ethylene glycol)..... | 281 | surgical meshes..... | 524 |
| poly(vinyl alcohol)..... | 281 | synthesis..... | 517 |
| polyaniline (pani)..... | 16 | T0901317..... | 111 |
| polyaniline activated carbon composite..... | 16 | Tafel formula..... | 641 |
| polymer-borate hybrid films..... | 281 | target plate material..... | 631 |
| polymeric blend membranes..... | 575 | TEM..... | 208 |
| polymeric blend..... | 584 | tergitol TMN-6..... | 306 |
| polyphasic taxonomy..... | 459 | thermal degradation temperature..... | 575 |
| polyphenol oxidase..... | 16 | thermogravimetric analysis..... | 608 |
| polyphenols..... | 553 | thiazoline..... | 100 |
| polypropylene..... | 524 | thin layer modeling..... | 467 |
| polysaccharides..... | 530 | thiols..... | 194 |
| powder properties..... | 467 | thorium(IV)..... | 208 |
| power generation..... | 228 | three-level Rankine cycle..... | 228 |
| pre-concentration..... | 306 | tin-cobalt alloys..... | 560 |
| propellant powder..... | 204 | tobacco..... | 553 |
| QSAR..... | 44 | toothpaste..... | 250 |
| quercetin..... | 69 | total flavonoids..... | 368 |
| <i>Quercus leucotricophora</i> | 368 | total phenolics..... | 368 |
| Raman..... | 351 | treatment plant..... | 124 |
| ramped temperature..... | 621 | trichosporon..... | 638 |
| rarefied gas..... | 298 | triethylfluorosilane (TEFS)..... | 250 |

| | |
|---|-----|
| UV/ZnO process..... | 27 |
| validation..... | 44 |
| vegetables..... | 69 |
| vinylc substitution..... | 445 |
| vinylidene fluoride-hexafluoropropylene copolymer | 423 |
| visible absorption..... | 58 |
| waste heat..... | 254 |
| waste waters..... | 189 |
| water treatment..... | 602 |
| water-retaining agents..... | 315 |
| wavelength selection..... | 265 |
| wet extrusion and spheronization..... | 405 |
| wettability..... | 171 |
| WO ₃ | 329 |
| xanthenes..... | 189 |
| XPS..... | 133 |
| X-ray analysis..... | 568 |
| X-ray photoelectron spectroscopy..... | 411 |
| X-ray study..... | 445 |
| XRD..... | 351 |
| <i>Zea mays</i> | 363 |
| zinc stannate..... | 58 |
| Zn ²⁺ | 602 |
| δ ¹⁵ NNO ₃ | 161 |
| δ ¹⁸ O NO ₃ | 161 |